

2016 V.6.0

**Cooking Equipment (2)**

## Stove Range



**GNC-C-900**

Model	GNC-C-900	ENC-C-900	GNC-C-700	ENC-C-700
Description	Gas Pasta Cooker With Cabinet	Electric Pasta Cooker With Cabinet	Gas Pasta Cooker With Cabinet	Electric Pasta Cooker With Cabinet
Volts	-	380~415V/50Hz	-	380~415V/50Hz
Power	23.6/ 80523(KW/BTU)	18000W	23.6/ 80523(KW/BTU)	12000W
Capacity	-	-	-	-
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
N.W.(KG)	100	86	82	75
Certificate	-	-	-	-

# Stove Range



**GLSB-C-900**

Model	GLSB-C-900	ELSB-C-900	GLSB-C-700	ELSB-C-700
Description	Gas Lava Rock Grill With Cabinet	Electric Lava Rock Grill With Cabinet	Gas Lava Rock-Grill With Cabinet	Electric Lava Rock Grill With Cabinet
Volts	-	380~415V/50Hz	-	380~415V/50Hz
Power	17 / 58004(KW/BTU)	12000W	14.4/19132(KW/BTU)	9000W
Capacity	-	-	-	-
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
N.W.(KG)	137	128	113	95
Certificate	CE	-	CE	-

# Stove Range



**GFDT-C-900**

Model	GFDT-C-900	EFDT-C-900	GFDT-C-700	EFDT-C-700
<b>Description</b>	Gas 2-Tank Fryer (2-Basket) With Cabinet	Electric 2-Tank Fryer (2-Basket) With Cabinet	Gas 2-Tank Fryer (2-Basket) With Cabinet	Electric 2-Tank Fryer (2-Basket) With Cabinet
<b>Volts</b>	-	380~415V/50Hz	-	380~415V/50Hz
<b>Power</b>	31/105772(KW/BTU)	30000W	31/105772(KW/BTU)	30000W
<b>Capacity</b>	(20±2)+(20±2)	(20±2)+(20±2)	(20±2)+(20±2)	(20±2)+(20±2)
<b>Dimensions (mm)</b>	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
<b>N.W.(KG)</b>	103	94	85	77
<b>Certificate</b>	CE	-	CE	-

# Stove Range



**GBM-C-900**

Model	GBM-C-900	EBM-C-900	GBM-C-700	EBM-C-700
Description	Gas Bain Marie With Cabinet	Electric Bain Marie With Cabinet	Gas Bain Marie With Cabinet	Electric Bain Marie With Cabinet
Volts	-	380~415V/50Hz	-	380~415V/50Hz
Power	6/20472(KW/BTU)	6000W	6/20472(KW/BTU)	5000W
Capacity	-	-	-	-
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
N.W.(KG)	90	86	77	68
Certificate	-	-	-	-

## Stove Range



**GG-C-900**

Model	GG-C-900	EG-C-900	GG-C-700	EG-C-700
<b>Description</b>	Gas Griddle (2/3 Flat & 1/3 Grooved) With Cabinet	Electric Griddle (2/3 Flat & 1/3 Grooved) With Cabinet	Gas Griddle (2/3 Flat & 1/3 Grooved) With Cabinet	Electric Griddle (2/3 Flat & 1/3 Grooved) With Cabinet
<b>Volts</b>	-	380~415V/50Hz	-	380~415V/50Hz
<b>Power</b>	11.8/40262(KW/BTU)	12000W	11.8/40262(KW/BTU)	9000W
<b>Capacity</b>	-	-	-	-
<b>Dimensions (mm)</b>	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
<b>N.W.(KG)</b>	125	124	95	86
<b>Certificate</b>	CE	-	CE	-

## Stove Range



**GG-O-900**

Model	GG-O-900	EG-O-900	GG-O-700	EG-O-700
<b>Description</b>	Gas Griddle (2/3 Flat & 1/3 Grooved) With Oven	Electric Griddle (2/3 Flat & 1/3 Grooved) With Oven	Gas Griddle (2/3 Flat & 1/3 Grooved) With Oven	Electric Griddle (2/3 Flat & 1/3 Grooved) With Oven
<b>Volts</b>	-	380~415V/50Hz	-	380~415V/50Hz
<b>Power</b>	11.8+5.8/60051(KW/BTU)	16800W	11.8+5.8/60051(KW/BTU)	13800W
<b>Capacity</b>	-	-	-	-
<b>Dimensions (mm)</b>	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
<b>N.W.(KG)</b>	178	177	148	139
<b>Certificate</b>	-	-	-	-

# Stove Range



**GVS4B-O-900**

Model	GVS4B-O-900	GVS4B-EO-900	GVS4B-O-700	GVS4B-EO-700
Description	Gas Range With 4-Burner & Oven	Gas Range With 4-Burner & Electric Oven	Gas Range With 4-Burner & Oven	Gas Range With 4-Burner & Electric Oven
Volts	-	380~415V/50Hz	-	380~415V/50Hz
Power	36.8/125560(KW/BTU)	31+4.8/106000(KW/BTU)	36.8/125560(KW/BTU)	31+4.8/106000(KW/BTU)
Capacity	-	-	-	-
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
N.W.(KG)	156	136	117	111
Certificate	CE	-	CE	-



## Stove Range



**ERC4B-C-700**

Model	ERC4B-C-700	ERC4B-O-700	
Description	Electric 4 Ceramic Hob with Cabinet	Electric 4 Ceramic Hob with Oven	Baking Chamber Dimensions
Volts	380~415V/50Hz	380~415V/50Hz	
Power	8	12.8	
Capacity	-	-	-
Dimensions (mm)	700x700x(850+70)	700x700x(850+70)	520x520x200
N.W.(KG)	66	94	
Certificate	-	-	-

# Stove Range



**GTB-900**

Model	GTB-900	ETB-900	GTB-700	ETB-700
Description	Gas Tilting Braising Pan	Electric Tilting Braising Pan	Gas Tilting Braising Pan	Electric Tilting Braising Pan
Volts	-	380~415V/50Hz	-	380~415V/50Hz
Power	24/81888(KW/BTU)	12000W	18/61416(KW/BTU)	10500W
Capacity	80L	80L	60L	60L
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)	700x700x(850+70)
N.W.(KG)	140	135	122	122
Certificate	-	-	-	-

# Stove Range



**GHPC-C-900**

Model	GHPC-C-900	GHPC-C-700
Description	Gas French Hot-Plate Cooker With Cabinet	Gas French Hot-Plate Cooker With Cabinet
Volts	-	-
Power	10/34120(KW/BTU)	10/34120(KW/BTU)
Capacity	-	-
Dimensions (mm)	800x900x(850+70)	700x700x(850+70)
N.W.(KG)	112	87
Certificate	-	-

## Stove Range



**ESK-900-100L**

Model	ESK-900-100L	ESK-900-150L	ESK-700-60L
Description	Electric Soup Kettle	Electric Soup Kettle	Electric Soup Kettle
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power(KW)	18	24	12
Capacity(L)	100	150	60
(kPa)	≤ 50	≤ 50	≤ 50
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)
N.W.(KG)	122.5	130	88
Certificate	-	-	-

## Stove Range



**GSK-900-100L**

Model	GSK-900-100L	GSK-900-150L	GSK-750-60L
Description	Gas Soup Kettle	Gas Soup Kettle	Gas Soup Kettle
Volts	-	-	-
Power	27.5/93858(KW/BTU)	27.5/93858(KW/BTU)	23/78476(KW/BTU)
Capacity(L)	100	150	60
(kPa)	≤ 50	≤ 50	≤ 50
Dimensions (mm)	800x900x(850+70)	800x900x(850+70)	700x700x(850+70)
N.W.(KG)	137	140	112
Certificate	-	-	-

# Stove Range



**GHPC-O-900**



**EHPC-C-900**

Model	GHPC-O-900	GHPC-O-700	EHPC-C-900	EHPC-C-750
Description	French Hot-Plate Cooker & Oven	French Hot-Plate Cooker & Oven	Electric 4-Plate Cooker With Cabinet	Electric 4-Plate Cooker With Cabinet
Volts	-	380~415V/50Hz	-	380~415V/50Hz
Power	24/81888(KW/BTU)	12000W	18/61416(KW/BTU)	10500W
Capacity	80L	80L	60L	60L
Dimensions (mm)	800x900x(850+70)	700x700x(850+70)	800x900x(850+70)	700x700x(800+70)
N.W.(KG)	140	135	122	122
Certificate	-	-	-	-

# Stove Range



**GVS6B-O-900**

Model	GVS6B-O-900	GVS6B-O-700	GVS6B-EO-900	GVS6B-EO-700
Description	Gas Range With 6-Burner & Oven	Gas Range With 6-Burner & Oven	Gas Range With 6-Burner & Electric Oven	Gas Range With 6-Burner & Electric Oven
Volts	-	-	380~415V/50Hz	380~415V/50Hz
Power	52.6/178790 (KW/BTU)	52.6/178790 (KW/BTU)	46.8/159000 (KW/BTU)	46.8/159000 (KW/BTU)
Oven Power	-	-	4.8KW	4.8KW
Dimensions (mm)	800x900x(850+70)	700x700x(850+70)	800x900x(850+70)	700x700x(850+70)
N.W.(KG)	208	155	179	144
Certificate	CE	CE	-	-

# Stove Range



**GVS4B-PC-U900**

Model	GVS4B-PC-U900	GVS4B-PC-U700
Description	Gas Range With 4-Burner With Cabinet (Pa board)	Gas Range With 4-Burner With Cabinet (Pa board)
Temp (°C)	-	-
Burners Power (KW /BTU)	2x4.5+2x7.5/103490	2x3.5+2x4.5/54590
Gas Oven Power (KW)	-	-
Dimensions (mm)	800x900x(850+70)	700x700x(850+70)
N.W.(KG)	192	168
Certificate	CE	CE



# Stove Range



**GVS4B-O-U900**

Model	GVS4B-O-U900	GVS4B-O-U700	GVS4B-C-U900	GVS4B-C-U700
Description	Gas Range With 4-Burner & Oven	Gas Range With 4-Burner & Oven	Gas Range With 4-Burner With Cabinet	Gas Range With 4-Burner With Cabinet
Temp (°C)	120~330	120~330	-	-
Burners Power (KW/BTU)	2x4.5+2x7.5/103490	2x3.5+2x4.5/54590	2x4.5+2x7.5/103490	2x3.5+2x4.5/54590
Gas Oven Power(KW)	5.8	5.8	-	-
LPG Gas Pressure (Pa)	2800~3700	2800~3700	2800~3700	2800~3700
LPG Gas Consumption(kg/h)	2.10	1.54	1.73	1.18
NG Gas Pressure (Pa)	2000~2500	2000~2500	2000~2500	2000~2500
NG Gas Consumption(m3/h)	2.81	2.07	2.33	1.57
Gas Inlet Size	R1 3/4"	R1 3/4"	R1 3/4"	R1 3/4"
High Of Working Table (mm)	850	850	850	850
Dimensions (mm)	800x900x(850+70)	700x700x(850+70)	800x900x(850+70)	700x700x(850+70)
Oven Chamber Size (mm)	560x700x290	560x700x290	-	-
Certificate	CE	CE	CE	CE

# Stove Range



**GVS6B-O-U900**

Model	GVS6B-O-U900	GVS6B-O-U700	GVS6B-C-U900	GVS6B-C-U700
Description	Gas Range With 6-Burner & Oven	Gas Range With 6-Burner & Oven	Gas Range With 6-Burner With Cabinet	Gas Range With 6-Burner With Cabinet
Temp (°C)	120~330	120~330	-	-
Burners Power (KW /BTU)	3x4.5+3x7.5/122830	3x3.5+3x4.5/81888	3x4.5+3x7.5/122830	3x3.5+3x4.5/81888
Gas Oven Power(KW)	5.8	5.8	-	-
LPG Gas Pressure (Pa)	2800~3700	2800~3700	2800~3700	2800~3700
LPG Gas Consumption(kg/h)	2.96	2.57	2.4	1.64
NG Gas Pressure (Pa)	2000~2500	2000~2500	2000~2500	2000~2500
NG Gas Consumption(m3/h)	3.98	3.45	3.49	3.38
Gas Inlet Size	R1 3/4"	R1 3/4"	R1 3/4"	R1 3/4"
High Of Working Table (mm)	850	850	850	850
Dimensions (mm)	800x900x(850+70)	700x700x(850+70)	800x900x(850+70)	700x700x(850+70)
Oven Chamber Size (mm)	540x700x290	540x700x290	-	-
Certificate	CE	CE	CE	CE

# Stove Range



**GVS3B-O-U1050**



**GVS3B-C-U1050**

Model	GVS3B-O-U1050	GVS3B-C-U1050
Description	Gas Range With 3-Burner & Oven	Gas Range With 3-Burner With Cabinet
Temp (°C)	120~330	-
Burners Power (KW/BTU)	3.5+4.5+7.5/52886	3.5+4.5+7.5/52886
Gas Oven Power(KW/BTU)	5.8/19790	-
LPG Gas Pressure (Pa)	2800~3700	2800~3700
LPG Gas Consumption(kg/h)	1.47	1.10
NG Gas Pressure (Pa)	2000~2500	2000~2500
NG Gas Consumption(m3/h)	1.97	1.48
Gas Inlet Size	R1 3/4"	R1 3/4"
High Of Working Table (mm)	850	850
Dimensions (mm)	1050x700x(850+70)	1050x700x(850+70)
Oven Chamber Size (mm)	560x600x290	-
Certificate	CE	CE

# Gas Ranges Specificator



**CE600-125**



**CE600-126**



**CE600-127**

Model	CE600-125	CE600-126	CE600-127
Description	Gas Ranges	Gas Ranges	Gas Ranges
Gas Connection	3/4" NPT Gas Connection	3/4" NPT Gas Connection	3/4" NPT Gas Connection
BTU(Open Burners)	30,000x4	30,000x6	30,000x10
BTU(Oven)	30,000	30,000	30,000x2
Legs	15cm	15cm	15cm
Oven Thermostat	50-320°C	50-320°C	50-320°C
N.W.(Kg)	132	167	285
Dimensions(mm)	609x828x1520	915x828x1520	1524x828x1520
Certificate	-	-	-

# Gas Fryer



**GFDT-C-900S**



**GF-G-2000ST**



**GF-G-3000ST**

Model	GFDT-C-900S	GFDT-C-750S	GF-G-2000ST	GF-G-3000ST
Description	Gas 1 - Tank Fryer (1 - Basket)	Gas 1 - Tank Fryer (1 - Basket)	Gas Fryer (2-Basket)	Gas Fryer (2-Basket)
Power	15.5/52886(KW/BTU)	15.5/52886(KW/BTU)	18/61415(KW/BTU)	27/92125(KW/BTU)
Capacity(L)	20±2	20±2	28	36
Dimensions (mm)	400x900x(850+70)	360x700x(850+70)	398x700x(1100+35)	500x700x1100
N.W.(KG)	60	53	53	62
Certificate	CE	CE	-	-

## Stove Range

**GF-G-10DT**



**EF-28DT**



**GS-4B**



**GG-600F**



Model	GF-G-10DT	EF-28DT	GS-4B	GG-600F
Description	Counter Top Gas Fryer	Counter Top Electric Fryer	Count Top Gas Stove	Counter Top Gas Griddle
Volts	-	220~220V/50Hz	-	-
Power	11.2 / 38215(KW/BTU)	3.25 + 3.25(KW)	14.2/48450(KW/BTU)	8.4/28660(KW/BTU)
Capacity(L)	6 + 6	8 + 8	-	-
Dimensions (mm)	600x612x470	600x600x430	570x612x470	600x612x470
Tank Dimensions (mm)	300X240X150	240X300X200	-	-
Grilled Board Size(mm)	-	-	-	590x434x16
Grilled Plate Thickness(mm)	-	-	-	16
N.W.(KG)	33	25	39	49
Certificate	-	-	-	-

# Stove Range

**EEHG-50**



**EHNC-60**



**GLB-650W**



**EHB-50**



Model	EEHG-50	EHNC-60	GLB-650W	EHB-50
Description	Counter Top Electric Griddle	Counter Top Pasta Cooker	Counter Top Gas Lava Rock Grill	Counter Top Electric Lava Rock Grill
Volts	220~220V/50Hz	220~220V/50Hz	-	220~220V/50Hz
Power	5KW	6KW	16.8 / 57320(KW/BTU)	7.2KW
Dimensions (mm)	600x600x350	600x600x350	650x612x470	650x600x350
Grilled Board Size(mm)	536x330x16	-	-	-
Roasting Surface(mm)	-	-	570x350	570x350
N.W.(KG)	43	25	46	38
Certificate	-	-	-	-

# Stove Range



**EBM-15**



**EHHC-4-15**



**ESC01-4HA**

Model	EBM-15	EHHC-4-15	ESC01-4HA
Description	Counter Top Electric Bain Marie	Counter Top Electric 4-Plate Cooker	Table-top Electrical Ceramic Hob
Volts	220~220V/50Hz	220~220V/50Hz	380V/50Hz
Power(KW)	1.5	8	8
Dimensions (mm)	700x600x350	600x600x350	660x650x300
N.W.(KG)	24	20	21
Certificate	-	-	-



# Char Broiler



**GIG01-48A**

Model	GIG01-14A	GIG01-24A	GIG01-36A	GIG01-48A
Description	Gas Char Broiler	Gas Char Broiler	Gas Char Broiler	Gas Char Broiler
Volts	-	-	-	-
Power	14.7/50000 (KW/BTU)	29.3/100000 (KW/BTU)	44/150000 (KW/BTU)	58.6/200000 (KW/BTU)
Dimensions (mm)	356x770x360+100	610x770x360+100	915x770x360+100	1220x770x360+100
N.W.(KG)	56	94	134	174
Certificate	-	-	-	-

# Gas Griddle



**GRI01-48A**

Model	GRI01-24A	GRI01-36A	GRI01-48A
Description	Gas Griddle	Gas Griddle	Gas Griddle
Volts	-	-	-
Power	17.6/60000 (KW/BTU)	26.4/90000 (KW/BTU)	35.2/120000 (KW/BTU)
Dimensions (mm)	610x840x360+60	915x840x360+60	1220x840x360+60
N.W.(KG)	91	129	169
Certificate	-	-	-

# Gas Stove



**GST01-4BA**

Model	GST01-1BA	GST01-2BA	GST01-4BA	GST01-6BA
<b>Description</b>	1 Burner Gas Stove	2 Burner Gas Stove	4 Burner Gas Stove	6 Burner Gas Stove
<b>Volts</b>	-	-	-	-
<b>Power</b>	24.7/84280 (KW/BTU)	15.5/53000 (KW/BTU)	25.2/86000 (KW/BTU)	46.6/159000 (KW/BTU)
<b>Dimensions (mm)</b>	550X460X500	300X770X360+60	600X770X360+60	900X770X360+60
<b>N.W.(KG)</b>	47	34	59	84
<b>Certificate</b>	-	-	-	-

# Stove Range



**ECS40-ENC**



**ECS40-EFR**

Model	ECS40-ENC	ECS60-ENC	ECS40-EFR	ECS60-EFR
Description	Desktop Electric Pasta Cooker	Desktop Electric Pasta Cooker	Desktop Electric Fryer	Desktop Electric Fryer
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power(KW)	5.4	9	8.5	8.5x2
Capacity(L)	15	24	8-10	(8-10)x2
Dimensions (mm)	400x650x475	600x650x475	400x650x475	600x650x475
Heigh Of Working Table (mm)	335	335	335	335
Drainage Outlet Size(mm)	R 1/2"	R 1/2"	R 1/2"	R 1/2"
Temperature (°C)	0-100	0-100	50-190	50-190
N.W.(KG)	25.6	36	20	35
Certificate	-	-	-	-

# Stove Range



**ECS40-EGI**



**ECS40-ELB**

Model	ECS40-EGI	ECS60-EGI	ECS40-ELB	ECS60-ELB
Description	Desktop Electric Griddle	Desktop Electric Griddle	Desktop Electric Lava Rock Grill	Desktop Electric Lava Rock Grill
Volts	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz	380~415V/50Hz
Power(KW)	3.9	7.8	4.5	7.5
Dimensions (mm)	400x650x475	600x650x475	400x650x475	600x650x475
Heigh Of Working Table (mm)	327	327	335	335
Grilled Height (mm)	14	14	-	-
Grilled Board Size (mm)	396x510x14	596x510x14	-	-
Drip Box Capacity(L)	1.5	1.5	-	-
Temperature (°C)	50-300	50-300	-	-
N.W.(KG)	43.5	60.4	45	68
Certificate	-	-	-	-

# Stove Range



**ECS40-EHP**



**ECS40-BAM**

Model	ECS40-EHP	ECS60-EHP	ECS40-BAM	ECS60-BAM
Description	Desktop Electric Cooker	Desktop Electric Cooker	Top Electric Bain Marie	Top Electric Bain Marie
Volts	220~230V/50Hz	380~415V/50Hz	220~230V/50Hz	220~230V/50Hz
Power(KW)	2.6+2	(2.6+2)x2	0.75	1.2
Dimensions (mm)	400x650x475	600x650x475	400x650x475	600x650x475
Heigh Of Working Table (mm)	335	335	335	335
N.W.(KG)	19	31.4	17	24.4
Certificate	-	-	-	-

# Stove Range



**ECS40-EFR-F**



**ECS60-CBN**

Model	ECS40-EFR-F	ECS40-CBN	ECS60-CBN
Description	French Fries Insulation Taiwan	400 Cabinet	600 Cabinet
Volts	220~230V/50Hz	-	-
Power(KW)	0.8	-	-
Dimensions (mm)	400x650x716	400x512x555	600x512x555
Capacity LxWxH mm	300x330x150	-	-
Temperature (°C)	30~110	-	-
N.W.(KG)	38	13	15.5
Certificate	-	-	-

# Stove Range



**GCS40-GNC**



**GCS40-GFR**

Model	GCS40-GNC	GCS60-GNC	GCS40-GFR	GCS60-GFR
Description	Counter Top Gas Cooking Stove	Counter Top Gas Cooking Stove	Counter Top Gas Fryer	Counter Top Gas Fryer
Temp (°C)	-	-	120~200	120~200
Power (KW/BTU)	5.6/19107	11.2/38214	5.6/19107	5.6x2/38214
LPG Gas Pressure (Pa)	2800~3700	2800~3700	2800~3700	2800~3700
LPG Gas Consumption(kg/h)	0.6	0.6x2	0.5	0.5x2
NG Gas Pressure (Pa)	2000~2500	2000~2500	2000~2500	2000~2500
NG Gas Consumption(m3/h)	0.71	0.71x2	0.6	0.6x2
Capacity(L)	-	-	10	10x2
Gas Inlet Size	R 1/2"	R 1/2"	R 1/2"	R 1/2"
Drainage Outlet Size	R 1/2"	R 1/2"	R 1/2"	R 1/2"
High Of Working Table (mm)	335	335	335	335
Dimensions (mm)	400x650x475	600x650x475	400x650x475	600x650x475
N.W.(KG)	28	39	23	36
Certificate	CE	CE	CE	CE



# Stove Range



**GCS40-GST**



**GCS40-GLB**

Model	GCS40-GST	GCS60-GST	GCS40-GLB	GCS60-GLB
Description	Counter Top Clay Pot Furnace Gas	Counter Top Clay Pot Furnace Gas	Counter Top Gas Grill Lava	Counter Top Gas Grill Lava
Power (KW/BTU)	3.5+4.5/27295	3.5x2+4.5x2/54590	7.2/24566	14.4/49132
LPG Gas Pressure (Pa)	2800~3700	2800~3700	2800~3700	2800~3700
LPG Gas Consumption(kg/h)	0.71	0.71x2	0.6	0.6x2
NG Gas Pressure (Pa)	2000~2500	2000~2500	2000~2500	2000~2500
NG Gas Consumption(m <sup>3</sup> /h)	0.86	0.86x2	0.73	0.73x2
Gas Inlet Size	R 1/2"	R 1/2"	R 1/2"	R 1/2"
High Of Working Table (mm)	335	335	335	335
Dimensions (mm)	400x650x475	600x650x475	400x650x475	600x650x475
N.W.(KG)	22	29.8	45	67
Certificate	CE	CE	CE	CE

# Stove Range



**GCS40-GRI**



**GCS40-BAM**

Model	GCS40-GRI	GCS60-GRI	GCS40-BAM	GCS60-BAM
Description	Counter Top Gas Griddle	Counter Top Gas Griddle	Counter Top Tangchi Gas Insulation	Counter Top Tangchi Gas Insulation
Temp (°C)	120~300	120~300	-	-
Power (KW/BTU)	5/17060	10/34120	3.7/12625	3.7/12625
LPG Gas Pressure (Pa)	2800~3700	2800~3700	2800~3700	2800~3700
LPG Gas Consumption(kg/h)	0.5	0.5x2	0.34	0.34x2
NG Gas Pressure (Pa)	2000~2500	2000~2500	2000~2500	2000~2500
NG Gas Consumption(m3/h)	0.6	0.6x2	0.4	0.4x2
Capacity(L)	-	-	6	10
Gas Inlet Size	R 1/2"	R 1/2"	R 1/2"	R 1/2"
High Of Working Table (mm)	335	335	335	335
Dimensions (mm)	400x650x475	600x650x475	400x650x475	600x650x475
Grilled Board Size(mm)	396x514.5x14	596x514.5x14	-	-
Grilled Plate Thickness(mm)	14	14	-	-
N.W.(KG)	42	58	22	28
Certificate	CE	CE	CE	CE